

		1
1		5
2		35
	“ ”	
3		107
	“ ”	
4		135
5		158

6 **191**

7 **205**

8 **208**

9 **214**

—

	66 99	7
	66 99	

“ ”

“

”

“

”

“

”

1

“

”

“ ”

2

3

4 “ ”

“ ”

1 “ ”

“

”

“

”

1

1.1

1.2

1.2.1

1.2.2

“ ”

“ ”

“ ”

1.2.3

1.2.5

1.3

1.3.1

1.3-1

--	--	--	--	--	--	--

1.3.2

1.3-3

1.4

1.4.1

1

2

45

[illegible]

1.4-9				dB A

4

1.5

1.5.1

1.5.1.1

1


— ×

2 AERSCREEN

[illegible]


				(m)	(m)	(m)	/°	m	h		kg/h					
		X	Y								PM ₁₀	PM _{2.5}		TVOC		<u>MDI</u>
		(m)	(m)													
													_____		_____	
											_____	_____	_____	_____	-	

[illegible]



1.5-1

1h



1.5-2

1h

4

1.5-7

1.5.1.2

1.5-6

		Q/ m³/d W/
		≥ ≥

1.5.1.3

“”

“”

1.5-7

1.5-8

1.5.1.4

1.5.1.5

“

$$= \frac{1}{Q} + \frac{q}{Q} + \frac{q_n}{Q_n}$$

1.5-11 Q

1.5-12		M		

1.5-13		P		
≅				

1.5-14

1.5-17

1.5-18

“ ”		

1.5-19

1.5-20

3

1.5-21

4

1.5-22

1.5.1.7

--	--	--	--

1.5-24

6

7

1.6

2

“

”

“

”

“

”

“

”

1.7.2

2014-2030

1.7-1

2

2.1

2.1.1

2.1.1.1

2.1-1		/		

2.1.1.2

2.1-2				
-	_____	_____	_____	_____

[illegible]

2.1.1.4

“ ”

1


2

3

2.1.2

2.1.2.1


1



2.1-1

2.1-4


2



2.1-2

2.1-5


2.1.4.2



2.1-3




2.1-4



2.1-5

2.1-6


2.1.4.3




2.1-6

2.1-7


2.1.4.4




2.1-7



2.1-8



2.1-9



2.1-10

2.1-8

2.1.3

[illegible]

VOCs

2.1.4

2.1-11

%

		33.6	974.14	1007.74	3248.3

2.1-14t/a

				VOCs



2.1-11

t/a


[illegible]



2.1-17

2.1.6.1

-	-		-	-	-	-	



2.1-13 m³/d

2.1.6.2

2.1.6.3

2.1.6.4

2.2

2.2.1

2.2.1.1

1

1

2

3

4

5

6

7

2

3

4

2.2.1.2

1

2.2-1

					+	
-						

2.2-1

3

: mg/L pH

2.2-3

: mg/L pH


		2020 3 20	2020 4 15	2020 5 11	2020 5 13		
				-	-		
				-	-		
			-	-	-		
				-	-		
			-	-	-	-	-
			-	-	-	-	-
				-	-		
				-	-		
			-		-		
			-		-		
			-		-		
			-		-		
			-		-	-	-
			-		-	-	-
			-	-			
			-	-			
			-	-			
			-	-			
			-	-		-	-
			-	-		-	-

4

2.2.1.3

1

2.2-2



2.2.2

“

”

2.2.2.1

2.2.2.2

1

2.2-4

			m³/h										
				/ mg/m³	/ kg/h	/ mg/m³	/ kg/h	/ mg/m³	/ kg/h	/ mg/m³	/ kg/h	/ mg/m³	/ kg/h
						×							
						×							
						×							
						×							
						×							
						×							
						×							
						×							
						×							
						×							
					×	×							

2.2-4

			m³/h										
				/ mg/m³	/ kg/h	/ mg/m³	/ kg/h	/ mg/m³	/ kg/h	/ mg/m³	/ kg/h	/ mg/m³	/ kg/h
						×							
						×							
						×							
						×							
						×							
						×							
						×							
						×							
						×							
						×							
					×	×							

“

”

2.2-4

			/ m³/h		
				/ mg/m³	/ kg/h

2.2-4

			/ m³/h		
				/ mg/m³	/ kg/h

2.2-4

			/ m³/h		
				/ mg/m³	/ kg/h

2.2-4

			/ m³/h		
				/ mg/m³	/ kg/h

2.2-5		/				mg/m ³		
			1#	2#	3#	4#		
			×	×	×	×	×	
			×	×	×	×		
			×	×	×	×		
			×	×	×	×		
			×	×	×	×		
			×	×	×	×		
			×	×	×	×		
			×	×	×	×		

“ ”

2.2-6		mg/m ³						
		1#	2#	3#	4#			
			×	×	×	×		
			×	×	×			
			×	×	×			
			×	×	×			
			×	×	×			
			×	×	×			
			×	×	×			
			×	×	×			

“

”

2.2-7		mg/m ³						
		1#	2#	3#	4#			

			1#	2#	3#	4#			
			×	×	×	×	×		
			×	×	×	×			
			×	×	×	×			
			×	×	×	×			
			×	×	×	×			
			×	×	×	×			
			×	×	×	×			
			×	×	×	×			

“

”

2.2.2.3

1

2.2-8

: mg/L pH

				pH		COD _{Cr}			
						×			
						×			
						×			
						×			
						×			
						×			
						×			
						×			

2.2-9

: mg/L pH

pH

2

2.2-10

: mg/L pH

pH

Z\$K

			pH				

2.2.2.4


2

--	--	--

2.2.3.1

1

2



2.2-12

2

2020

12

25

2020

12

25

1

2

3

1

2

[illegible]

2.2-13

[illegible]

А.О. М. " .

2.2-15

mg/m³


	2020	12	25
1	2	3	4

	2020	12	26
1	2	3	4

3

1


2.2-16				t/a	
	RTO 25m 1#	15m 2#	7m 3#		
				-	
				-	
		-	-	-	
		-	-	-	



5

6





2.2-2

2.2-19				mg/L				
	2020	12	25		2020	12	26	
1	2		3	/	1	2	3	/

		2020 12 25				2020 12 26					
		1	2	3	/	1	2	3	/		

“ ”

2.2-21

			(t/a)		

2.2.3.4

2.2.3.5

2.2-22

t/a

2.3

“ ”

“ ”

“ ”

2.3-1

“ ”

		“ ”
—		
—		

3

3.1

3.1.1

3.1.2

3.1-1

		× × × ×	
		× × × ×	
		× × × ×	

3.1-2

3.1.3

3.1.6

3.1-4

3.1-5

	-4' 4	43%			
		5%	25%		
	20%	60%			
N	.	0.5%	0.5%	0.5%	1% N 0.5%

3


3.2

3.2.1

1

1

1




3.2-1

					/	

3.2.2

3.2-2				m³/d			



3.2-2

2

VOCs

3.2-3

	—					
	—					
	—					
	—					
	—					
	—					

3.2-4

	—	—	-	-	—	—
	—	—	-	-	—	—
	—	-	-	-	—	—

3.2-5 VOCs t/a


			—
			—
			—
	—		—
	—		
	—		
	—		
	—		
	—		
	—		
	—		—

3.2-6 t/a

			—
	—		—
	—		—
	—		
	—		
	—		—

3.2-7 t/a


		—	—
	—	—	—
	—	—	—
	—		
	—		
	—		—



3.2-3 t/a

3.2.3

3.2-8



3.3

3.4

2

1

2

×

3.4-3

3

3.4-5

3.4-6

[illegible]

									x x	
										x x
									x x	

3.4.2

1

2

3.4-9

3.4.3

3.4-10					dB(A)	

3.4.4

— —	— —	— — —	— —	— — —	— — — —	— —	— —	— —	— — — — —	— — —	— —
					— —	— —	— —	—	—	—	— — — — — — —
				—	— — —	— — —	— — —	— — —	—	—	
			—		— —	— —	—	—	—	—	
			—	—	— —	— —	—	—	—	—	
					—	— —	—	—	—	—	— —
				—	— —	— —	—	—	—	—	— — — — — —
				—	— —	— —	—	—	—	—	
				—	— —	— —	—	—	—	—	
					— — —	— — —	—	—	—	—	— — — — —
				—	— — —	— — —	—	—	—	—	— — —

3.4.5

1

3.4-12

2

3.4-13

3.4.6

1

—

3.4-14

				—	—			
				—	—			
				—	—			
—	—	—	—	—	—			

	_____	_____	_____	—	_____			
	_____		_____	—	_____			
			_____	—	_____			

2

3.5 “ ”

3.5.1 “ ”

3.5-1 “ ”

Ł

		_____	_____	_____	_____	_____
	_____	_____	_____	_____	_____	_____
	_____	_____	_____	_____	_____	_____
	_____	_____	_____	_____	_____	_____
	_____	_____	_____	_____	_____	_____
	_____	_____	_____	_____	_____	_____
	_____	_____	_____	_____	_____	_____
	_____	_____	_____	_____	_____	_____
	_____	_____	_____	_____	_____	_____
	_____	_____	_____	_____	_____	_____
	_____	_____	_____	_____	_____	_____
	_____	_____	_____	_____	_____	_____
		_____	_____	_____	_____	_____
		_____	_____	_____	_____	_____
		_____	_____	_____	_____	_____

4

4.1

4.1.1

4.1.2

4.1.3

—

4.1.4

1

2

4.1.5

4.1.6

4.1.7

4.1-1

. r

		$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	%	
		—	—	——	——
		—	—	—	——
		—	—	—	——
		—	—	——	——
		—	————	—	——
		——	—	—	——

4.2.2.3

4.2-3

4.2.2.4

$$y = MAX_n \sum_{j=1}^n C$$

--	--	--	--	--	--

--	--	--	--	--	--	--

4.2-5		mg/m ³	

4.2-5		mg/m ³					
_____	_____	_____				_____	_____
		_____	_____	_____	_____		
_____	_____						
_____	_____						
_____	_____						
_____	_____						
_____	_____						

4.3

4.3-1

4.4

4.4.1

4.4-1


4.4.2

4.4.3

4.4.4

4.4-2

/



--	--	--	--

mg/L

4.5

4.5.1

4.5-1

4.5.2

mg/kg

4.5.5

$$P_i = C_i \ C_{Si}$$

P_i

C_i

C_{Si}

P_i

P_i

4.5.6

1

4.5-3

			o			o	

mg/kg	pH
10	7.0
20	7.0
30	7.0
40	7.0
50	7.0
60	7.0
70	7.0
80	7.0
90	7.0
100	7.0
110	7.0
120	7.0
130	7.0
140	7.0
150	7.0
160	7.0
170	7.0
180	7.0
190	7.0
200	7.0
210	7.0
220	7.0
230	7.0
240	7.0
250	7.0
260	7.0
270	7.0
280	7.0
290	7.0
300	7.0
310	7.0
320	7.0
330	7.0
340	7.0
350	7.0
360	7.0
370	7.0
380	7.0
390	7.0
400	7.0
410	7.0
420	7.0
430	7.0
440	7.0
450	7.0
460	7.0
470	7.0
480	7.0
490	7.0
500	7.0
510	7.0
520	7.0
530	7.0
540	7.0
550	7.0
560	7.0
570	7.0
580	7.0
590	7.0
600	7.0
610	7.0
620	7.0
630	7.0
640	7.0
650	7.0
660	7.0
670	7.0
680	7.0
690	7.0
700	7.0
710	7.0
720	7.0
730	7.0
740	7.0
750	7.0
760	7.0
770	7.0
780	7.0
790	7.0
800	7.0
810	7.0
820	7.0
830	7.0
840	7.0
850	7.0
860	7.0
870	7.0
880	7.0
890	7.0
900	7.0
910	7.0
920	7.0
930	7.0
940	7.0
950	7.0
960	7.0
970	7.0
980	7.0
990	7.0
1000	7.0

[illegible]

“ < ”

4.6

4.6.1

4.6-1

4.6.2

4.6.3

4.6.4

4.6.5

4.6.6

Đ Ž

5

5.1

5.1.1

5.1.2

5.1.3

5.1-1

dB

$$\Delta L = L_1 - L_2 = 20 \lg(r_2/r_1)$$

5.1-2

dB(A)

5.1.4

5.2

1

5.2-1

[illegible]

5.2-2

[illegible]

5.2-3

/ " A

	_____	_____

5.2-4

					—	—		
					—	—		
—	— — —	— —		—	—			
				—	—			
				—	—			
				—	—			

2

5.2-5

[illegible]

5.3

8 @ \$ % & ' () * + , - . / : ;

5.3.3

5.4

5.4.1

1

0~19.40m

5.8~13.20m

2

105~120m

30-40m

5.4.2

5.4.2.1

5.4.2.2

1

2

3

4

1

$$= -\frac{x-ut}{\sqrt{D_L t}} + -e^{\frac{ux}{D_L}} \operatorname{erfc} \frac{x+ut}{\sqrt{D_L t}}$$

5

[illegible][illegible]


5.5

5.5.1

5.5-1					dB(A)	

5.5.2

$$L_{p2} = L_{p1} - (TL + 6) \quad (\text{A.6})$$



$$L_{P1i}(T) = 10 \lg \left(\sum_{i=1}^N 10^{0.1 L_{P1ij}} \right) \quad (\text{A.8})$$

$$L_{p2i}(T)=L_{p1i}(T)-(T^{\frac{1}{2}}+C) \tag{A.9}$$

$$L_W=L_{p\gamma}(T) \tag{A.10}$$

$$L_A(r)=L_A(r)-\quad(r-r)$$

$$\mathbf{L}=\sum_{i=1}^n\mathbf{L}_i/$$

$$L_{eqg} = 10 \lg \left(\frac{1}{T} \sum_i t_i 10^{0.1 L_{Ai}} \right)$$

5.5.3

5.5-2

dB A

5.6

1

5.6-1

		(t/a)	

	_____		_____	

	_____	_____	_____	

2

1

2

5.7

5.8

5.8.1

5.8-1

--	--	--	--

5.8-2

5.8.3

1

2

3

$$\Delta S = n(I_s - L_s - R_s)/(\rho_b \times A \times D)$$

 ΔS I_s L_s R_s A D n

$$\Delta S = nI_s/(\rho_b \times A \times D)$$

$$S = S_b + \Delta S$$

 S_b

S I_S

4

5.8-3

		ρ_b	A	D	I_S		ΔS (		

*

+

50%

5.8-4 VOCs

		ρ_b	A	D	I_S		ΔS	

*

50%

5.8.4

5.8.5

5.8.6

5.9

5.9.1

5.9-1

t

—	—	—	—	—	—						
—	—	—	—	—	—						
—	—	—	—	—	—						
—	—	—	—	—	—						
—	—	—	—	—	—						
—	—	—	—	—	—						
—	—	—	—	—	—						
—	—	—	—	—	—						
—	—	—	—	—	—						

5.9.3

5.9.3.1

5.9-2

		≥

[illegible]

Figure 1 | **Flowchart illustrating the study design.**

? &

-	_____	_____	_____	_____		
-	_____	_____	_____	_____		

5.9.4

1

5.9-8

2

5.9-9

	_____	_____				
	_____	_____				
	_____	_____				
	_____	_____				
	_____	_____	_____			

5.9.5 _____

$$Q_L = C_d A \rho \sqrt{\frac{2(P - P_0)}{\rho} + 2gh}$$

Q_L

P _____

P_0

ρ

g

h

C_d

A

_____ Q_L _____

5.9-10

_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____

5.9.5

5.9.5.1 _____

5.9-12

ug/m³

		-	-	-			
		-			-	-	-

5.9-13

			-		



5.9-1 mg/m^3

5.9-14 MDI

_____	_____	
	_____	_____
—	—	_____
—	—	_____
—	—	_____
—	—	_____
—	—	_____
—	—	_____
—	—	_____
—	—	_____
—	—	_____
—	—	_____
—	—	_____

5.9-15 MDI

ug/m³

5.9-16



5.9-2 MDI mg/m³

5.9.5.2

m "Q

6

6.1


6.1.1

1

2

≥

6.1-1




6.1-2

6.1-2

6.2.2

1

2



6.2-1

6.2.3

Kon


6.2.4

6.3

“

”

6.3.1



6.3.2

6.3-1

		$\geq \leq \times$	
		$\leq \times \geq$	

6.4

[illegible]

6.6-1

6.7

6.7-1

--	--	--	--

7.1.3

1

7.1-2

7.2

7.3

7.4

7.4.1

7.4.2

8

8.1

8.1.1

1

2

8.1.2

1

2

8.1.3

8.1-1

8.2

8.2.1

8.2-1

mg/m³

t/a

mg/m³

t/a

8.2.2

8.2-2

8.2.3

8.3

8.3.1

8.3.2

8.3-1

			_____	_____		
			_____	_____		
			_____	_____		
		_____	_____	_____		
	_____	_____	_____	_____		
	_____	_____	_____	_____		
	_____	_____	_____	_____		
	_____	_____	_____	_____		
	_____	_____	_____	_____		
	_____	_____	_____	_____		
	_____	_____	_____	_____		
		_____	_____	_____		
	_____	_____	_____	_____		
	_____	_____	_____	_____		
			_____	_____		

8.4

“ ”

9

9.1

9.2

9.2.1

9.2.2

9.2.3

9.2.4

9.2.5

9.3

9.3.1

1

2

3

4

9.4

9.4.1

9.4.1.1

9.4.1.2

9.4.1.3

9.4.1.4

9.4.1.5

9.4.1.6

9.4.1.7

9.5

9.5.1

[illegible]

9.6

9.7

—

—

9.8

9.9

“ ”